


FRONT ELEVATION




LEFT ELEVATION


UNAUTHORIZED ALTERATION OR ADDITION TO THIS
DOCUMENT IS A VIOLATION OF SECTION 7209
SUBDIVISION 2 OF THE NYS EDUCATION LAW

L. H. RUTLAND, JR. P. E.
12 DROMS ROAD EXT.
SCOTIA NY 12302


PROJECT
12 MYRTLE AVE.
SAE, GARAGE



RIGHT ELEVATION




REAR ELEVATION



- PS PULL STATION
- HEAT DETECTOR W/STROBE
- motion detector
- SMOKE DETECTOR
- EMERG. LT.
- VOICE

FIRST FLOOR PLAN
(OCCUPANCY R-1)




SECOND FLOOR PLAN

L. H. RUTLAND, JR. P. E.
12 RDOME ROAD FVY

PROJECT
12 MYRTLE AVE.
SAE GARAGE

PROJECT




SECTION

DESIGN LOADS:

ROOF -----50PSF (LL) 10PSF (DL)
 2ND FLOOR-- --40PSF (LL) 10PSF (DL)
 1ST FLOOR----- 40PSF (LL) 10PSF (DL)

GROUND SNOW LOAD	WIND SPEED	SEISMIC DESIGN CAT.	DAMAGE FROM WEATHERING	FROST LINE DEPTH	DAMAGE FROM TERMITES	DAMAGE FROM DECAY
70	90	C	SEVERE	48"	SLIGHT TO MOD.	NONE TO SLIGHT



STAIR SECTION ^{AL NOTES}

CONTRACTOR SHALL VERIFY ALL DIMENSIONS IN THE FIELD PRIOR TO STARTING CONSTRUCTION OR ORDERING MATERIALS.

CONTRACTOR SHALL BE RESPONSIBLE FOR ALL MEANS, METHODS AND SEQUENCES OF CONSTRUCTION.

CONTRACTOR SHALL BE RESPONSIBLE FOR ALL TEMPORARY BRACING.

NO CHANGES SHALL BE INCORPORATED IN THE WORK WITHOUT THE PRIOR APPROVAL OF THE DESIGN PROFESSIONAL.

ALL EXTERIOR WALLS EXISTING BRICK W/CLAY TILE BACKING. ROOF AND DORMERS ARE ALSO EXISTING WINDOWS ON SECOND FLOOR FRONT AND BACK TO CUSTOM MADE DEEPER FOR EGRESS NO OTHER EXTERIOR WORK TO BE INCLUDED IN CONTRACT

ALL INTERIOR WALL FINISHES TO BE 5/8" TYPE "X" SHEETROCK STAIRS ARE TO BE WIDENED TO MEET CODE

INTER SIGN AMP.	ICE SHIELD UNDERLAYMENT REQUIRED	FLOOD HAZARD
-5	YES	NO